

**SAFETY DATA SHEET****Product Name****Methylated Spirits****1. PRODUCT AND COMPANY IDENTIFICATION**

<b>Recommended use:</b>	Industrial solvent
<b>Company Details:</b>	Super Shine Products Ltd
<b>Address:</b>	64, 66 Huia Road, Otahuhu Auckland. New Zealand
<b>Telephone Number:</b>	+64 9 276 1591
<b>Emergency Telephone Number:</b>	National Poison Information Centre 0800 764 766
<b>Date of Preparation:</b>	21/03/2023

**2. HAZARD IDENTIFICATION****GHS classification of the substance/mixture**

Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand. Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

3.1B Flammable liquid: high hazard

6.1E (Oral) - Substance that is acutely toxic

6.4A Substance that is irritating to the eyes

6.8B Substance that is suspected to be a human reproductive or developmental toxicant

6.8C Substance that produces toxic human reproductive or developmental effects on or via lactation

6.9A (Repeated exposure) - Substance that is toxic to human target organs or systems

**Hazard Statement (s)**

H225 Highly flammable liquid and vapour.

H303 May be harmful if swallowed.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

Pictogram (s)

Flame, Health hazard, Exclamation mark



DANGER

**Precautionary  
statement –  
Prevention**

P102 Keep out of reach of children.

P103 Read label before use.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P263 Avoid contact during pregnancy/while nursing.

P264 Wash contaminated skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement – Response**

P101 If medical advice is needed, have product container or label at hand.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use carbon dioxide, dry chemical, foam, water spray, sand or dolomite for extinction.

**Precautionary statement – Storage**

P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

**Precautionary statement – Disposal**

P501 In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided. See Section 13 for disposal details.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

Ingredient	CAS #	Concentration %
Ethanol	67-17-5	>=96%
Water	7732-18-5	<4.0
Methanol	67-56-1	<=2.0%

---

**4. FIRST AID MEASURES**

---

**Ingestion:**

Immediately rinse mouth with water. If swallowed do not induce vomiting. Give water to drink. Seek immediate medical attention.

**Eye Contact:**

Immediately flush eyes with large amounts of water for at least 15 minutes while holding eyelids open. Transport to the nearest medical facility for additional treatment.

**Skin Contact:**

Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.

**Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give Oxygen. Get medical help.

---

**5. FIRE FIGHTING MEASURES**

---

**Extinguishing Media:**

Use dry chemical powder, foam, polymer foam, water spray or fog type extinguishers. Water may be ineffective on fire. However water spray may be used to extinguish fires, and to absorb heat, keep containers cool and protect exposed material. If a leak or spill has not ignited, water spray may be used to flush spills away from exposures.

**Hazards from combustion products:**

Flammable liquid. Vapour may form explosive mixtures with air above the flash point of 48 deg C. Avoid exposure to sources of ignition or open flame. Avoid using in a confined space or generating mists or vapours. May accumulate static charge by flow or agitation. Vapour is heavier than air and may collect in drains or other low areas. Electrically ground all drums, transfer vessel, hoses and piping.

**Precautions for fire fighters and special protective equipment:**

Alert Fire Brigade and tell them location and nature of hazard.

- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses

Use fire-fighting procedures suitable for surrounding area.

Use water delivered as a fine spray to control the fire and cool adjacent area.

DO NOT approach containers suspected to be hot.

If safe to do so, remove containers from path of fire.

Fire fighters to wear self contained breathing apparatus if risk of exposure to vapour or products of combustion as well as structural fire fighters uniform.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

**Emergency Precautions:**

Personnel involved in the clean should wear full protective clothing. Evacuate all unnecessary personnel.

Increase ventilation. Avoid walking through spilled product as it may be slippery. Stop leak if safe to do so. Do not let product reach drain or waterways; advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking tools and equipment.

**Methods and Materials for Containment and Clean Up:**

Soak up spilled product using absorbent non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, labelled, dry, sealable containers and hold for safe disposal. Once pick-up is complete, flush spill site with plenty of water to eliminate any residue. Hold contaminated water for treatment/disposal.

---

**7. HANDLING AND STORAGE**

---

**Handling:**

Wash thoroughly after handling. Use only in a well ventilated area. Avoid contact with eyes, skin and clothing. Empty containers retain product and residue, (liquid or vapour), and can be dangerous. Keep container tightly closed. Always wash hands before smoking, eating or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not dispose of material to sewers or waterways.

**Storage:**

Keep away from heat, sparks, and flame. Keep away from sources of ignition. Store in a tightly closed container. Keep from contact with oxidizing materials. Store in cool, dry, well-ventilated area away from incompatible substances.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

Occupational exposure limit values

Substance	Regulations	Exposure Duration	Exposure Limit	Units	Notes
Methanol	NZ OELs List	TWA	200	ppm	skin
Methanol	NZ OELs List	TWA	262	mg/m3	skin
Methanol	NZ OELs List	STEL	250	ppm	skin
Methanol	NZ OELs List	STEL	328	mg/m3	skin
Ethanol	NZ OELs List	TWA	1000	ppm	
Ethanol	NZ OELs List	TWA	1880	mg/m3	

Biological Limit Values

Name: Methanol

Determinant: methanol in urine

Bei®: 15 mg/g

Sampling time: End of shift.

Source: American Conference of Industrial Hygienists (ACGIH)

Appropriate Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

#### Eye Protection

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/ face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

#### Hand Protection

Wear gloves of impervious material such as nitrile rubber, PVC, butyl rubber. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

#### Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance:</b>	Colourless liquid
<b>Physical State:</b>	Liquid
<b>Odour:</b>	Solvent odour
<b>pH:</b>	N/A
<b>Solubility:</b>	soluble in water
<b>Vapour Density:</b>	1.59
<b>Boiling point:</b>	78 deg
<b>Freezing Point:</b>	Not applicable
<b>Ignition Point:</b>	392 degree
<b>Flash Point:</b>	13 degree
<b>Specific Gravity:</b>	0.7904
<b>Vapour pressure:</b>	>30
<b>% Volatilities</b>	100%

---

## 10. STABILITY AND REACTIVITY

---

<b>Chemical Stability:</b>	Stable at room temperature and pressure.
<b>Conditions to avoid:</b>	Avoid excessive heat, direct sunlight, moisture, high temperatures.
<b>Incompatible Materials:</b>	Incompatible with oxidizing agents, acidic agents, including acidic clays, and sources of ignition.
<b>Hazardous decomposition:</b>	When involved in a fire, this product will generate carbon monoxide
<b>Hazardous reactions:</b>	Oxidizing agents, mineral acids, halogenated organic compounds.

---

**11. TOXICOLOGICAL INFORMATION**

---

No adverse health effects expected if the product is handled in accordance with the safety data sheet. Symptoms or effects that may arise if the product is mishandled and the overexposure occurs are:

**Acute Effects****Ingestion:**

Small amounts of liquid aspirated into lungs during ingestion, or from vomiting. Ingestion large amounts of this product will result on headaches, nausea, dizziness and tracheal burning.

**Eye Contact:**

This product is irritating to eyes but will not permanently damage eye tissue.

**Skin Contact:**

This product is irritating to skin and may result in dryness and cracking of skin.

**Inhalation:**

Irritating to respiratory tract. Exposure to high concentrations over an extended period of time may result on muscles weakness, tingling in hands and feet, blurred vision, headaches, nausea, loss of appetite, hallucinations and possible loss of consciousness.

**Chronic Effects:**

This product contain n-hexane a confirmed toxicant to target organs and systems, there is evidence of potentially irreversible damage to the peripheral nervous system, particularly arms and legs.

**Other health effects information:**

The effects of the constituent of this product show incidents of experiment teratogenic and reproductive effects and mutation data has been reported

**Toxicological information:**

Actual oral toxicity                      LD50

---

**12. ECOLOGICAL INFORMATION**

---

**Persistence/ degradability:**            Product volatile on air

**Mobility:**                                      Product will evaporate.

---

**13. DISPOSAL CONSIDERATIONS**

---

**Disposal Methods:**

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities.

Packaging may still contain fumes and vapours that are flammable and harmful.

**Special precautions for landfill or incineration:**

This product is not suitable for disposal by either landfill or via municipal sewers, drain, natural streams or rivers. This product is ash less and can be burned directly in appropriate equipment.

---

**14. TRANSPORT INFORMATION**

---

**UN no.:**    1170  
**Proper shipping name:**                  Flammable liquid N.O.S  
**Dangerous goods class:**                3  
**Packaging group:**                         II  
**Hazchem code:**                            3(Y) E



This product is classified as Dangerous Goods Class 3, packaging group II , please consult the land Transport Rule, DG 2005, and NZS 5433:2007 Transport of Dangerous Goods on land for information.



*The Professionals' Car Care Products*

---

**15. REGULATORY INFORMATION**

---

**HSNO Approval No:**

HSR002553

**Group Standard:**

Denature alcohol Methylated spirits Group Standard 2006

---

**16. OTHER INFORMATION**

---

<b>New Zealand National Poison Information Centre:</b>	0800 764 766
<b>New Zealand Emergency Services:</b>	111
<b>Super Shine Products Limited:</b>	+64 9 276 1591

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Super shine Products Limited accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Local Councils regulations.