



Cordless Upright Cleaner DVC560



Ideal for carpet cleaning

18v + 18v → 36v



Low noise

57 dB(A)

Low noise mode

Max air flow

1.9 m³/min

Max Sealed Suction

12 kPa







Long run time




High dust pick-up rate



4 rows of V-shaped bristle increase dust pick-up rate.



Suction power is even across the entire cleaning width due to the suction port located at the center.



Two different BL motors

- One for vacuuming dust and the other for rotating brushroll
- Two motors are separately controlled according to the selected suction mode.

+

allows for use in noise-sensitive environments such as office, hospital and more.

Low noise mode 57 dB(A)

Max mode: 67dB(A) / Normal mode: 64dB(A)



Tool-less brushroll replacement

allows for quick maintenance.



4-stage brushroll height adjustment

4-stage manually adjustable to carpet pile length



Stage 4
Long pile carpet



Stage 1
Hard floor, Short pile carpet

Continuous use on a full battery charge*

| | | |
|--------------------------------------|---------------------------------------|---|
| Max about 30 min | High about 60 min | Low noise about 120 min |
|--------------------------------------|---------------------------------------|---|

*with BL1860B x2

One-touch 3-suction mode selection switch with mode memory function




Expandable hose plus Removable aluminum pipe with integrated handle

- You can clean in corners or confined spaces by using the pipe and hose, with the machine standing upright.
- When the machine is in the upright position, the brushroll automatically stops so as not to damage the carpet.



Long sash nozzle set (On-tool storage)



Round brush set (On-tool storage)



Aluminum pipe



- Convenient attachment for use with the removable aluminum pipe
- Can be stored on the machine.

Indication panel

3 mode
3 Max / 2 Normal / 1 Low noise

Brushroll error lamp

Dust disposal warning lamp

Battery capacity warning lamp



Filtration system: Paper dust bag (Non-woven cloth type)

4-layer non-woven cloth filter

Dust capacity: **5L**

HEPA filter



Main body able to tilt up to 90 degrees

enables to clean in tight spaces under furniture, sofa, bed and more.



Side brush

The side brush is convenient for cleaning the corner of a wall.



LED job light

Convenient for cleaning in dark places



Front bumper


protects wall and furniture surfaces from scratches / damage.



DVC560 has achieved a bronze CRI seal of approval

Approval test performed by the Carpet & Rug Institute (USA) to evaluate the performance of vacuum cleaners for carpet and rug.

18V
LITHIUM-ION



LXT

Expand Your Lithium Line Up

Accessories


Long sash nozzle set
Part No. 191D65-8



Round brush set
Part No. 191D67-4



Brush complete set
Part No. 191D69-0



Main filter h set
Part No. 191E39-5



Filter bag set
10pcs. set
Part No. 191D63-2



Charging Time

| | DC18RD | DC18SH |
|----------------------|---------------|----------------|
| BL1815N 1.5Ah | 15 min | 30 min |
| BL1820B 2.0Ah | 24 min | 45 min |
| BL1830B 3.0Ah | 22 min | 60 min |
| BL1840B 4.0Ah | 36 min | 90 min |
| BL1850B 5.0Ah | 45 min | 110 min |
| BL1860B 6.0Ah | 55 min | 130 min |

Cordless Upright Cleaner DVC560

- Electronic 3-Speed
- Revolving Hose
- Built-in Job Light

| | |
|---------------------------------|---|
| Capacity | Dust: 5 L |
| Continuous Use (min.) | w/ BL1860B x2 Max / Normal / Low Noise: 30 / 60 / 120 |
| Max Air Flow | 1.9 m ³ /min |
| Max Sealed Suction | 12 kPa |
| Dust Pick-Up Rate | Max / Normal / Low Noise: 47 / 44 / 40 |
| Cleaning Width | 318 mm |
| Brushroll Rotation Speed | Max / Normal / Low Noise: 3,500 / 2,500 / 1,000 RPM |
| Vibration Level | 2.5 m/s ² or less |
| Sound Pressure Level | 70 dB(A) or less |
| Dimensions (L x W x H) | 326 x 318 x 1,146 mm (12-7/8 x 12-1/2 x 45") |
| Net weight | 8.3 - 9.0 kg (18.3 - 19.8 lbs.) |

Standard Equipment: Long Sash Nozzle, Round Brush, Filter Bag, Filter H, Filter Bag Set

The weight includes accessories (round brush, corner nozzle) and battery cartridge(s). The lightest and heaviest combination weight of the appliance and battery cartridge(s) are shown in the table. Items of standard equipment and specifications may vary by country or area.

a ADVANCE

663 Great South Road, Penrose, Auckland 1642
Phone: 09 525 3792
Fax: 09 525 3874
Email: info@advanceclean.co.nz

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 202010