



Cordless Backpack Vacuum Cleaner

DVC660 / DVC665 AWS



High capacity tank and low noise structure

18v + 18v → 36v

Photo:DVC660

Photo:DVC665



Max Air Flow
2.0 m³/min
Model : DVC660
Hose : 28mm - 1.0m

Max Sealed Suction
11 kPa

HEPA filter

AWS

BL MOTOR

DVC665 only




For Cleaning **DVC660**

HEPA filter

HEPA Filter is used as the main filter to capture very fine particles effectively.


Able to capture 99.97% of particles as small as 0.3-1 μm

Exhaust air is as clean as that of air cleaner.



Cleaning mechanism for paper dust bag

Even when vacuuming concrete dust tending to clog filters, actuation of this mechanism allows to collect approximately up to 4.0L, 70% of the paper dust bag capacity. (approximately 3.0L [50%] when not actuated)




This mechanism can be actuated:

- Automatically by the vibration due to walking
- Manually by operating a lever by hand

Controller

DVC660

DVC665



OFF switch
Max / High / Normal power selection
High / Normal power selection
ON-OFF switch for LED job light

AWS
(DVC665 only)

LED job light (DVC660 only)
convenient for operation in dark job sites

Side Battery





For Dust Collecting DVC665

AWS Auto-start Wireless System DVC665 only

The wireless activation function enables clean and comfortable operation. By connecting a supported tool to the cleaner, you can run the cleaner automatically along with the switch operation of the tool.



wireless unit

Bluetooth AWS connects to power tool with Bluetooth
The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Makita is under license. Other trademarks and trade names are those of their respective owners.

Expanding AWS Line-up



Accessories




Hose band

Part No. 166116-2



Filter set assembly

Part No. 191D12-9
HEPA filter



Dust bag assembly

Part No. 191C30-1



Filter bag set 10pcs / set


Part No. 191C26-2




Accessories

with front sleeve
Hose connection 28
Hose connection 38


DVC660
for cleaning




DVC665
for dust collecting




Cleaning set
-Hose complete 38-25
-Straight pipe
-Bending pipe
-Nozzle assembly
-Corner nozzle
195439-1




Bent pipe
192562-3




Straight pipe
192563-1




Hose 38mm
1.5m 199388-4
3.2m 199433-3
5.0m 199436-7
5.0m A-34229




Hose 32mm
1.0m 199453-9
1.7m 199493-7




Hose 28mm
1.0m 143787-2
1.5m 144408-9
1.5m 152992-0
2.5m 195437-5
3.5m 195433-3
5.0m 195436-7
5.0m A-34229




Hose 38mm
1.5m 198757-6
2.5m 195434-1
5m 195435-9




Front cuffs 22
195547-8




Tapered nozzle set
192236-6
198558-2




38mm Tip attachments
Nozzle assembly
Flat type (Dry)
199455-5




F/C switching t-nozzle
Flooring & carpet (Dry)
198184-7 / 198533-8




Universal type (Dry/Wet)
195551-7




Compact type A (Dry)
195549-4 / 122334-2




Round brush
191657-9




Corner nozzle
410306-2



Aluminum joint pipe
(L=465mm)
199844-4




Aluminum straight pipe 32
(L=465mm)
199843-6




for others vacuum cleaner
nozzles 32mm (1-1/4")


Front cuffs 24
195546-0




Front cuffs 38
195545-2




Front cuffs 22
195547-8




Joint 22-38
195548-6




Front cuffs 24
195546-0




Attachments




Bending pipe assembly with pipe lock without sleeve 140G26-3




Bending pipe assembly with pipe lock with sleeve 127093-3




Bending pipe assembly without sleeve 458184-2




Bending pipe assembly with sleeve 126756-8




Cyclone attachment set with pipe lock
191D71-3 / 191D70-5




Cyclone attachment set
199491-1 / 191D74-7




Straight pipes with pipe lock
Aluminum Telescopic pipe 28L
(L=590-942mm) 140G19-0




Straight pipes
Plastic Telescopic pipe 28
(L=500-850mm)
198559-0




Plastic straight pipe 28L with pipe lock
(L=479mm)
459353-8




Plastic straight pipe 28L with pipe lock
(L=340mm)
for Cyclone attachment set
191D76-3




Plastic straight pipe 28
(L=465mm)
451241-5




Plastic straight pipe 28
(L=320mm)
for Cyclone attachment set
191D79-7




28mm Tip attachments
Nozzle assembly
Flat type
199454-7




F/C switching t-nozzle 28
Flooring & carpet
198183-9 / 198532-0




Nozzle assembly
Floor t-nozzle 28
123486-2




Floor/carpet t-nozzle
For rug / carpet
198525-7 / 198528-1




Nozzle assembly
For rug / carpet
122291-4




Seat nozzle 28
For automobile
199037-3 / 199038-1




Seat nozzle 120 set
For automobile
140H95-0




Mat nozzle 120
For automobile
459056-4




Sash nozzle
451240-7




Corner nozzle 330
198918-8 / 198919-6




Crevice nozzle 415
199439-3




Round brush
198877-6 / 198878-4




Shelf brush
198872-6 / 198873-4




Soft brush 360 complete set
140H94-2









Rubber complete* 330 set
*422437-5



Flexible rubber* nozzle 28
*197901-2






*These nozzles cannot be attached directly to Bending pipe assembly use with telescopic pipes or straight pipes.

18V LITHIUM-ION			
	DC18RC	DC18RD	DC18SD
 BL1815N 1.5Ah	15 min		30 min
 BL1820B 2.0Ah	24 min		45 min
 BL1830B 3.0Ah	22 min		60 min
 BL1840B 4.0Ah	36 min		90 min
 BL1850B 5.0Ah	45 min		110 min
 BL1860B 6.0Ah	55 min		130 min

Cordless Backpack Vacuum Cleaner

DVC660 / DVC665

-  Electronic 3-Speed (DVC660)
-  Electronic 2-Speed (DVC665)
-  Built-in Job Light (DVC660)

Capacity	Paper dust bag: 6.0 L Cloth dust bag: 5.5 L
Continuous Use (min.)	DVC660: w/ BL1860B (Max/High/Normal): 40 / 75 / 140 min DVC665: w/ BL1860B (High/Normal): 40 / 75 min
Max Air volume	DVC660: w/ Hose Complete 28-1.0: 2.0 m ³ /min DVC665: w/ Hose Complete 28-1.0: 1.8 m ³ /min
Max Sealed Suction	11 kPa
Suction Power	DVC660: Max / High / Normal w/ Hose 28-1.5: 90 / 45 / 25 W DVC665: High / Normal w/ Hose 28-1.5: 85 / 45 W
Vibration Level	Operation w/o Load: 2.5 m/s ² or less
Sound Pressure Level	70 dB(A) or less
Dimensions (L x W x H)	297x174x523 mm (11-3/4"x6-7/8"x20-5/8")
Net weight	DVC660: 6.1 - 6.7 kg (13.4 - 14.8 lbs.) DVC665: 6.1 - 6.7 kg (13.5 - 14.9 lbs.)

Standard Equipment:

Floor Nozzle, Hose, Hose Band, Nozzle assembly, Telescopic pipe assembly, Bent Pipe, Switching nozzle, Free Nozzle, Dust Bag, Front Cuffs (22, 24), Battery, Charger

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table. Items of standard equipment and specifications may vary by country or area.



663 Great South Road, Penrose, Auckland 1642
Phone: 09 525 3792
Fax: 09 525 3874
Email: info@advanceclean.co.nz

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201911