

SAFETY DATA SHEET

Product Name **ALLOY CLEANER**

Revision Date: 13/05/2024

Version: 001

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : ALLOY CLEANER
Recommended Use : Effective removal of brake dust & contaminants on alloy wheels
Company Details : Advance International Cleaning System (NZ) Ltd
Address : 663 Great South Road, Penrose, Auckland 1642
Telephone Number : +64 9 525 3792
Emergency Telephone: Number : National Poison Information Centre **0800 764 766**
Date of Preparation : 13/05/2024

Acute toxicity: oral	Category 4
Acute toxicity: (inhalation)	Category 4
Acute toxicity: (dermal)	Category 4
Carcinogenicity	Category 1A
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Corrosive to metals	Category 1
Aquatic toxicity (Acute) Eco-toxic to terrestrial vertebrates	Category 3
STOT (Single exposure)	Category 3



DANGER

Code	Hazard Statement
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H350	May cause cancer
H370	Causes damage to organs
H318	Causes serious eye damage.
H433	Harmful to terrestrial vertebrates.

2. HAZARD IDENTIFICATION

GHS Classification and Categories

Prevention Statement

P102	Keep out of reach of children.
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P103	Read label before use.
P234	Keep only in original container.
P264	Wash thoroughly after handling.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P281	Use personal protective equipment as required.

Response Statement

P101	If medical advice is needed, have product container or label at hand.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P330	Rinse mouth
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307 + P311 + P321	IF exposed: Call a POISON CENTER or doctor/physician.
P308 + P313	IF exposed or concerned: Get medical advice/attention
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P337 + P313	IF eye irritation persists: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before re-use.
P390	Absorb spillage to prevent material damage.

STORAGE

P405	Store locked up.
P501 :	Dispose through licensed disposal contractor.
Other Hazards :	None Known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Concentration %
Ammonium Bifluoride	1341-49-7	<5
Sulphuric acid	7664-93-9	<5

Phosphoric acid	7664-38-2	<5
Hydrochloric acid	7647-01-0	<5
Surfactants	Proprietary	<20
Other Ingredients – Non-Hazardous		Level

4. FIRST AID MEASURES

Ingestion	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor, or physician. Get medical attention or advice if you feel unwell.
Eye contact	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes.
Skin contact	Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor, or physician.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell

Poison Information Centre: Call 0800 764 766 (0800 POISON)

5. FIRE FIGHTING MEASURE

Suitable extinguishing media :	Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam. Keep containers cool and protect exposed material. If a leak or spill has not ignited, water spray may be used to flush spills away from exposures
Unsuitable extinguishing media :	None known.
Specific hazards during firefighting :	Non Combustible Liquid. While burning, it will emit toxic fumes including carbon monoxide and carbon dioxide.

Hazardous combustion products :	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides
Special protective equipment for firefighters :	Use personal protective equipment. Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion as well as structural fire fighter's uniform.
Specific extinguishing methods :	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes

6. ACCIDENTAL RELEASE MEASURES

Emergency Precautions:

Personal precautions, protective equipment and emergency procedures Wear suitable protective clothing, gloves, and eye/face protection. Evacuate all unnecessary personnel. Increase ventilation. Avoid walking through spilled product as it may be slippery.

Environmental precautions: Do not allow to enter drainage system, surface, or ground water. Dilute with plenty of water. Advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking tools and equipment.

Methods and material for containment and cleaning up Use neutralising agent. Absorb onto dry sand or similar inert material.

Environmental precautions:

Do not allow to enter drainage system, surface, or ground water. Dilute with plenty of water.

Advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking tools and equipment.

Methods and Materials for Containment and Clean Up:

Soak up spilled product using absorbent, non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, labelled, dry, sealable containers and hold for safe disposal. Once pick-up is complete, flush spill site with plenty of water to eliminate any residue. Hold contaminated water for treatment/disposal.

7. HANDLING AND STORAGE

Advice on safe handling:

Wash hands thoroughly after handling. Use only in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Empty containers retain product and residue (liquid or vapour) and can be dangerous. Keep container tightly closed. Always wash hands

before smoking, eating, or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not dispose of material to sewers or waterways.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink, and animal feeding stuffs. Wash hands before breaks and at the end of workday. Wash face, hands, and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using this product. Use only with adequate ventilation.

Conditions for safe storage: Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.

Storage temperature: 0 °C to 50 °C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards: No Tolerable Exposure Limit (TEL)

Workplace Exposure Standards (WES) has been set by the Occupational Safety and Health Service, NZ Department of Labour for this substance.

Biological limit values: None established.

Engineering Controls:

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.

PERSONAL PROTECTIVE EQUIPMENT

Eye protection: Safety glasses with side-shields

Hand / Skin Protection:

Always wear long sleeves and long trousers or coveralls, enclosed footwear or safety boots and chemical resistant gloves when manufacturing this product.

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the glove's supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥480min Material thickness: ≥0.7mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥30min Material thickness: ≥0.4mm In consultation with the supplier of protective gloves a different type providing similar protection maybe chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

Where concentration in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half face filter mask to protect from overexposure by inhalation. A type “A” filter material is considered suitable for this product.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Clear Dark Red Liquid
Physical State	: Liquid
Odour	: Slight
Odour Threshold	: Not determined
pH	: 1.0 ± 0.5
Solubility	: Soluble in water
Vapour Density	: Not Known
Boiling point	
Freezing Point	: >100°C
Ignition Point	: Not Known
Flash Point	: Not Known
Flammability	: Not determined
UEL/LEL	: Not determined
Partition Coefficient	: Not determined
Auto ignition	
Temperature	: Not determined
Decomposition	: Not determined
Temperature	: Not determined
Kinematic Velocity	: Not determined
Particle Characteristics	: Not determined
Specific Gravity	: 1.100 Approx
Vapour pressure	: Not Known
% Volatilities	: Not Applicable

10. STABILITY AND REACTIVITY

Chemical Stability: Stable at room temperature and Pressure

Conditions to avoid: Avoid excessive heat, direct sunlight, moisture, high temperatures. No hazardous reactions are known under normal storage and use conditions.

Incompatible Materials: Incompatible with reducing agents, alkali.
Reacts with alkalis.

Hazardous decomposition: When involved in a fire, this product will generate carbon oxides, Nitrogen Oxides, Sulphur Oxides.

Hazardous reactions: No dangerous reaction known under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Mixture data:

No adverse health effects expected if the product is handled in accordance with the safety data sheet. Symptoms or effects that may arise if the product is mishandled and the overexposure occurs are:

Acute Effects

Eyes : Causes serious eye irritation and damage.

Skin : This product is very irritating to skin.

Ingestion : Small amounts of liquid aspirated into lungs during ingestion, or from vomiting. Ingestion of large amounts of this product will result in headaches, nausea, dizziness, and tracheal burning.

Inhalation : Irritating to respiratory tract. Exposure to high concentrations over an extended period may result in muscle weakness, tingling in hands and feet, blurred vision, headaches, nausea, loss of appetite, hallucinations, and possible loss of consciousness.

Exposure : Health injuries are not known or expected under normal use

Actual oral toxicity LD50 396mg/kg

12. ECOLOGICAL INFORMATION

Persistence/ degradability: The substance is aerobically readily biodegradable and anaerobically biodegradable.

Mobility: No data available for this product.

Toxicity -Environmental Effects: Harmful to aquatic life. Avoid contaminating water ways.

Other adverse effects: No data available

13. DISPOSAL CONSIDERATIONS

Disposal Methods:

Do not contaminate storm water drains, natural waterways, or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of in accordance with local and national regulations.

Disposal considerations:

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers.

Dispose of in accordance with local, state, and federal regulations.

14. TRANSPORT INFORMATION



Shipping Name : CORROSIVE TOXIC LIQUID, N.O.S, contain ammonium difluoride, phosphoric acid, hydrochloric acid, and sulphuric acid

Hazard Class : 8(Y)E

UN Number : UN2922

Packaging Group : II

Road and Rail Transport: Classified as Dangerous Goods by the criteria of New Zealand Dangerous Goods Code for transport by road and rail.

Marine Transport: Classified as Dangerous Goods by the criteria of international Maritime Dangerous Goods Code for transport by sea.

Air Transport: Classified as Dangerous Goods by the criteria of international Air Association Dangerous Goods Regulations for transport by air.

Special precautions for user: None

15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation specific for the substance or mixture

HSNO Approval No **HSR002526**

Group Standard Cleaning Products (Corrosive hazard) Group Standard 2020

Inventory Listing(s) New Zealand: NZIoC (New Zealand Inventory of Chemicals)
All components are listed on the NZIoC inventory or are exempt.

16. OTHER INFORMATION

HSNO Classification: 6.1D,6.7A, 6.9A, 8.1A. 8.2B, 8.3A, 9.3C,
Date of Preparation: 13/05/2024

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

New Zealand National Poison Information Centre: 0800 764 766

New Zealand Emergency Services: 111

Advance International Cleaning Systems (NZ) Limited: +64 9 525 3792

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for uses is beyond our control. The information is not intended as an inducement to bargain, and no warranty expressed or implied is made as to its accuracy, reliability or completeness.

Advance International Cleaning Systems (NZ) Limited accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product complies with appropriate Local Councils regulations.

End of Safety Data Sheet