



SAFETY DATA SHEET

Product Name ADVANCE NATURE TOTAL WASHROOM

Revision Date: Version: 002

13/06/2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : ADVANCE NATURE TOTAL WASHROOM

Recommended Use : Cuts through soap scum, removes hard water, rust and lime

deposits. It's made from renewable plant derived materials.

Biodegradable

Environmental Choice New Zealand licensed.
MPI APPROVED C32-All Products Except Dairy

Company Details : Advance International Cleaning System (NZ) Ltd

Address : 663 Great South Road, Penrose, Auckland 1642

Telephone Number : +64 9 525 3792

Emergency Telephone:

Number

: National Poison Information Centre 0800 764 766

Date of Preparation :13/06/2024

2. HAZARD IDENTIFICATION

Classified Under EPA (Classification) Notice 2017

GHS Classification and Categories

Serious eye damage : Category 1
Skin Irritant : Category 2
Skin Sensitization : Category 1
Aquatic Toxicity (Chronic) : Category 3

GHS LABEL ELEMENT HAZARD CLASSIFICATIONS





DANGER

Code Hazard Statement

H318 Causes serious eye damage





H315	Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Prevention Statement

P103	Read label before use
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response Statement

P302 + P352	IF	ON	Sk	(IN:	: Wash	with	plent	y of	f soa	p and	water.
-------------	----	----	----	------	--------	------	-------	------	-------	-------	--------

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Other Hazards Unknown

Disposal Statement

P501 Dispose through licensed disposal contractor.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Concentration %
Sodium Laureth Sulphate	9004-85-1	5-25
Sodium Chloride	7647-14-5	<10
Coco Amido Betaine	617-14-5	<10
Glycoside	68515-73-1	<10
Citric Acid	77-92-9	<10
Fragrance	Proprietary	<1
Non Hazardous		LEVEL

4. FIRST AID MEASURES





Ingestion Rinse mouth. Immediately drink 1 glass of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Keep at rest.

Immediately call a POISON

CENTRE, doctor, or physician. Get medical attention or advice if you feel

unwell.

Eye contact Hold eyelids apart and flush eyes with plenty of lukewarm water for at

least 15 minutes.

Skin contact Take off immediately all contaminated clothing and wash it before re-use.

Immediately call a POISON CENTRE, doctor, or physician.

Remove person to fresh air and keep comfortable for breathing. Get

Inhalation medical attention or advice if you feel unwell

Poison Information Centre: Call 0800 764 766 (0800 POISON)

5. FIRE FIGHTING MEASURE

Extinguishing Media Use extinguishing measures that are

appropriate to local circumstances and the

surrounding environment.

Unsuitable Extinguishing Media None known

Specific hazards during firefighting : Not flammable or combustible.

Hazards from combustion products Not combustible. However, following

evaporation of aqueous component, residual material can burn if ignited. While burning, it will emit toxic fumes including carbon

monoxide

and carbon dioxide.

Precautions for fire fighters and special

protective equipment:

Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or

products of combustion as well as structural fire

fighter's uniform.

Hazchem code 2R

2 - Fine water spray

R - Liquid-tight chemical protective clothing and

breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Emergency Precautions:

Personal precautions, protective equipment and emergency procedures Wear suitable protective clothing, gloves, and eye/face protection. Evacuate all unnecessary personnel. Increase ventilation. Avoid walking through spilled product as it may slippery. Environmental precautions: Do not allow to enter drainage system, surface, or ground water. Dilute with plenty of water. Advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking tools and equipment. Methods and material for containment and cleaning up use neutralising agent. Absorb onto dry sand or similar inert material.





Methods and Materials for Containment and Clean Up:

Soak up spilled product using absorbent, non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, labelled, dry, sealable containers and hold for safe disposal. Once pick-up is complete, flush spill site with plenty of water to eliminate any residue. Hold contaminated water for treatment/disposal.

7. HANDLING AND STORAGE

Handling: Wash hands thoroughly after handling. Use only in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Empty containers retain product and residue (liquid or vapour) and can be dangerous. Keep container tightly closed. Always wash hands before smoking, eating, or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not dispose of material to sewers or waterways.

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink, and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands, and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using this product. Use only with adequate ventilation.

Storage: Containers must be carefully vented to release the pressure build up. Store in cool, dry, well-ventilated area away from incompatible substances. Keep containers always closed, check regularly for leak.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards: The Occupational Safety and Health Service, NZ Department of Labour have set no Tolerable Exposure Limit (TEL) Workplace Exposure Standards (WES) for this substance. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Recommended safety measures for handling the undiluted products.

Appropriate engineering controls: Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or un neutralised.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Where concentration in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.





Skin/Hand Protection: Always wear long sleeves and long trousers or coveralls, enclosed footwear or safety boots and chemical resistant gloves when manufacturing this product.

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the glove's supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥480min Material thickness: ≥0.7mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥30min Material thickness: ≥0.4mm in consultation with the supplier of protective gloves a different type providing similar protection maybe chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).







9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Green
Physical State: Thick Liquid
Odour: Citrus / Fresh
Odour Threshold Not Determined

pH: 2.0 ± 0.5

Solubility: Soluble in water Vapor Density: no data available

Boiling point: >100 deg

no data available Freezing Point: Ignition Point: no data available Flash Point: no data available Specific Gravity: 1.0750 Approx Vapor pressure: no data available % Volatilities no data available Flammability Not Determined UEL/LEL Not Determined Partition Coefficient Not Determined Auto Ignition Not Determined

Temperature

Decomposition Not Determined

Temperature

Kinematic Velocity Not Determined Particle Not Determined

Characteristics

10. STABILITY AND REACTIVITY

Chemical Stability: No reactivity hazards known under normal storage and use conditions. Stable at room temperature and pressure.

Conditions to avoid: Avoid excessive heat, direct sunlight, moisture, high temperatures. No hazardous reactions known under normal storage and use conditions.

Incompatible Materials: Incompatible with reducing agents, alkali agents. Reacts with alkalis.

Hazardous decomposition: When involved in a fire, this product will generate carbon monoxide.

Hazardous reactions: Reducing agents, Alkali, halogenated organic compounds.





11. TOXICOLOGICAL INFORMATION

Mixture data:

No adverse health effects expected if the product is handled in accordance with the safety data sheet. Symptoms or effects that may arise if the product is mishandled and the overexposure occurs are:

Acute Effects

Mobility:

Ingestion: Small amounts of liquid aspirated into lungs during ingestion, or from vomiting. Ingestion of large amounts of this product will result in headaches, nausea, dizziness, and tracheal burning.

Eye Contact: This product very irritating to the eyes, and pain followed by swelling to the conjunctiva.

Skin Contact: This product is irritating to skin.

Inhalation: No data Available

12. ECOLOGICAL INFORMATION

Persistence/ degradability: The substance is aerobically biodegradable

and anaerobically biodegradable

No data is available for this product.

Avoid contaminating waterways

Toxicity -Environmental Effects: Avoid contaminating Other adverse effects

Avoid contaminating No data available

Other adverse effects
Aquatic Toxicity (Chronic)
No data available
Category 3

13. DISPOSAL COSIDERATIONS

Disposal Methods: Empty packaging should be taken for recycling, recovery, or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Waste treatment methods Waste from residues / unused concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers are discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Suitable cleaning agents: Water, if necessary, with cleaning agent.

14.TRANSPORT INFORMATION



IMAGE/PICTOGRAM

Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)





Road and Rail Transport: Classified as Dangerous Goods by the criteria of New Zealand Dangerous Goods Code for transport by road and rail.

Marine Transport: Classified as Dangerous Goods by the criteria of international Maritime Dangerous Goods Code for transport by sea.

Air Transport: Classified as Dangerous Goods by the criteria of international Air Association Dangerous Goods Regulations for transport by air

Shipping Name : Citric Acid Solution (Mixture)

Hazard Class : 8
UN Number : 1760
Packing Group : III
Hazchem code : 8(Y)E
MO/IMDG : N/A

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

Aquatic Toxicity (Chronic) : Category 3

15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation specific for the substance or mixture

Inventory Listing(s) : New Zealand: NZIoC (New Zealand Inventory

of Chemicals)

: All components are listed on the NZIoC

inventory or are exempt.

HSNO Approval No : HSR2526

Group Standard : Cleaning Products (Corrosive Hazard) Group

Standard 2020

16. OTHER INFORMATION

HSNO Classification: 6.3A, 8.3A, 6.5B, 9.1C

Date of Preparation: 13/06/2024

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

New Zealand National Poison Information Centre: 0800 764 766

New Zealand Emergency Services: 111

Advance International Cleaning Systems (NZ) Limited: +64 9 525 3792

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for uses is beyond our control. The information is not intended as an inducement to bargain, and no warranty expressed or implied is made as to its accuracy, reliability or completeness.

Advance International Cleaning Systems (NZ) Limited accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the





proper use of the product to which it refers. Due care should be taken that the use and disposal of this product complies with appropriate Local Councils regulations.

End of Safety Data Sheet