

Version: 001

#### SAFETY DATA SHEET

**Product Name** 

NAPPY WASH

Revision Date: 04-06-2024

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	: NAPPY WASH
Recommended Use	: Concentrated Laundry Powder
Company Details Address	: Advance International Cleaning System (NZ) Ltd : 663 Great South Road, Penrose, Auckland 1642
Telephone Number	: +64 9 525 3792
Emergency Telephone: Number	: National Poison Information Centre 0800 764 766
Date of Preparation	: 04/06/2024

### 2. HAZARD IDENTIFICATION

### **GHS Classification and Categories**

Skin corrosion / irritation	Category 1C
Serious Eye damage / eye irritation	Category 1
Aquatic Toxicity (Acute)	Category 3
Aquatic Toxicity (Chronic)	Category 2
Acute Toxicity (oral)	Category 3



DANGER

1



### Code Hazard Statement

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H401 Toxic to aquatic life.
- H412 Harmful to aquatic life with long lasting effects.

### **Prevention Statement**

P102	Keep out of reach of children.
P103	Read label before use.
P234	Keep only in original container.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink, or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face
	protection.
P310	Immediately call a POISON CENTER or doctor/physician.

### **Response Statement**

P101	If medical advice is needed, have product container or label at hand.
P301 + P330 + P331 + P312	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or in shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.

Disposal Statement:

P405	Store Locked up.
P501	Dispose through licensed disposal contractor.



#### Other Hazards: None Known

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Concentration %
Dodecane sulphonic Acid Na	2386-53-0	<15
Trideceth-3	4403-12-7	<5
Ethoxylated lauryl alcohol	9002-92-0	<5
Disodium carbonate with Hydrogen peroxide	15630-89-4	<30
Sodium Citrate	6132-04-3	<30
Tetra sodium salt	13235-36-4	<15
Sodium Gluconate	527-07-1	<15
Protease	9014-01-1	<5
Lipase	9001-62-1	<5
Sodium carbonate	144-55-8	<15
Sodium silicate	1344-09-8	<15
Other Ingredients – Non- Hazardous		Level

#### 4. FIRST AID MEASURES

Ingestion	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor, or physician. Get medical attention or advice if you feel unwell.
Eye contact	Hold eyelids apart and flush eyes with plenty of lukewarm. water for at least 15 minutes.



 Skin contact
 Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor, or physician.

 Inhelation
 Demove person to freeh eir and keep comfertable for

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

### Poison Information Centre: Call 0800 764 766 (0800 POISON)

#### 5. FIRE FIGHTING MEASURE

Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam. Keep containers cool and protect exposed material. If a leak or spill has not ignited, water spray may be used to flush spills away from exposures. None known.
Specific hazards during firefighting	Fire fighters to wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion as well as structural fire fighter's uniform. Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides
Special protective equipment for firefighters	Use personal protective equipment.
Specific extinguishing methods	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes
HAZCHEM CODE 2R	2- Fine water spray R-Liquid tight chemical protective clothing and breathing apparatus.

#### 6. ACCIDENTAL RELEASE MEASURES



Emergency Precautions	Personal precautions, protective equipment, and emergency procedures: Wear suitable protective clothing, gloves, and eye/face protection. Evacuate all unnecessary personnel. Increase ventilation. Avoid walking through spilled product as it may slippery.
Environmental precautions	Do not allow to enter drainage system, surface, or ground water. Dilute with plenty of water. Advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking tools and equipment.
Methods and Materials for Containment and Clean Up	Soak up spilled product using absorbent, non-combustible material such as sand or soil. Avoid using sawdust or cellulose. When saturated, collect material into suitable, labelled, dry, sealable containers and hold for safe disposal. Once pick-up is complete, flush spill site with plenty of water to eliminate any residue. Hold contaminated water for treatment/disposal.

#### 7. HANDLING AND STORAGE

#### Advice on safe handling

Wash hands thoroughly after handling. Use only in a well-ventilated area. Avoid contact with eyes, skin, and clothing. Empty containers retain product and residue (liquid or vapour) and can be dangerous. Keep container tightly closed. Always wash hands before smoking, eating, or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Do not dispose of material to sewers or waterways.

#### Conditions for safe storage

Keep out of reach of children. Keep



Advice on general occupational hygiene:

container tightly closed. Store in suitable labelled containers. Keep away from acids.

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink, and animal feeding stuffs. Wash hands before breaks and at the end of workday. Wash face, hands, and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with skin and eyes. Do not eat, drink, or smoke when using this product. Use only with adequate ventilation

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards	The Occupational Safety and Health Service, NZ Department of Labour have set no Tolerable Exposure Limit (TEL) Workplace Exposure Standards (WES) for this substance. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Recommended safety measures for handling the undiluted products.
Biological limit values	None established
Engineering Controls	The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion proof ventilation equipment.
Appropriate organisational controls Environmental exposure controls	Avoid direct contact and/or splashes where possible. Train personnel. Should not reach sewage water or drainage ditch undiluted or un neutralised



#### PERSONAL PROTECTIVE EQUIPMENT

Eye protection	Safety glasses or goggles (EN 166). The use of a full- face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection / skin protection	Always wear long sleeves and long trousers or coveralls, enclosed footwear or safety boots and chemical resistant gloves when manufacturing this product. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the glove's supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves f prolonged contact: Material: butyl rubber Penetration time: ≥480min Material thickness: ≥0.7mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥30min Material thickness: ≥0.4mm In consultation with the supplier of protective gloves a different type providing similar protection maybe chosen.
Body protection	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection	Where concentration in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.
Hygiene measures	Wash hands thoroughly after handling.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical State Odour Odour Threshold pH Solubility Vapour Density Boiling point Freezing Point Ignition Point Flash Point Flash Point Flash Point Flammability UEL/LEL Partition Coefficient Auto ignition Temperature Decomposition Temperature Kinematic Velocity Particle Characteristics Specific Gravity Vapour pressure	<ul> <li>: White/Blue Powder</li> <li>: Solid</li> <li>: Fresh Aroma</li> <li>: Not Determined</li> <li>: 12.0 Approx</li> <li>: Soluble in water</li> <li>: Not Known</li> <li>: Not Determined</li> <li>: Not Known</li> <li>: Not Known</li> <li>: Not Known</li> <li>: Not Determined</li> <li>: Not Mown</li> </ul>
% Volatilities	: Not Applicable

## **10.STABILITY AND REACTIVITY**

Chemical Stability	Stable at room temperature and Pressure
Conditions to avoid	Avoid excessive heat, direct sunlight, moisture, high temperatures. No hazardous reactions known under normal storage and use conditions.
Incompatible Materials	Incompatible with oxidizing agents, acidic agents, including acidic clays and sources of Ignition. Reacts with acids.
Hazardous decomposition	When involved in a fire, this product will generate carbon oxides, Nitrogen Oxides, Sulphur Oxides.
Hazardous reactions	Oxidizing agents, mineral acids, halogenated organic compounds.

## 11.TOXICOLOGICAL INFORMATION



### Mixture data:

No adverse health effects expected if the product is handled in accordance with the safety data sheet. Symptoms or effects that may arise if the product is mishandled and the overexposure occurs are:

#### Acute Effects

Eyes	Causes serious eye irritation.
Skin	This product is irritating to skin.
Ingestion	Health injuries are not known or expected under normal use. Small amounts of liquid aspirated into lungs during ingestion, c from vomiting. Ingestion of large amounts of this product will result in headaches, nausea, dizziness, and tracheal burning.
Inhalation	Irritating to respiratory tract. Exposure to high concentrations over an extended period may result in muscle weakness, tingling in hands and feet, blurred vision, headaches, nausea, loss of appetite, hallucinations, and possible loss of consciousness.
Chronic Exposure	Health injuries are not known or expected under normal use

### **12. ECOLOGICAL INFORMATION**

Persistence/ degradability	The substance is aerobically readily biodegradable and anaerobically biodegradable.
Mobility	No data available for this product.
Toxicity -Environmental Effects	Harmful to aquatic life.
Other adverse effects	Do not release to the marine environment
Aquatic Toxicity (Chronic)	Category 2
Aquatic Toxicity (Acute)	Category 3

## 13. DISPOSAL COSIDERATIONS



Disposal Methods	Do not contaminate storm water drains, natural waterways, or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of in accordance with local and national regulations.
Disposal considerations	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.





## Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

Road and Rail Transport	Classified as Dangerous Goods by the criteria of New Zealand Dangerous Goods Code for transport by road and rail.
Marine Transport	Classified as Dangerous Goods by the criteria of international Maritime Dangerous Goods Code for transport by sea.
Air Transport	Classified as Dangerous Goods by the criteria of international Air Association Dangerous Goods Regulations for transport by air.

**Special precautions for user** Do Not Contaminate the Waterways.



Shipping Name	CORROSIVE SOLID, N.O.S. (Sodium Silicate)
IMDG	CORROSIVE SOLID, N.O.S. (Sodium Silicate), MARINE POLLUTANT
Hazard Class	8 Corrosive substances.
UN Number	3253
Packing Group	II
Hazchem Code	N/A
Aquatic Toxicity (Chronic)	Category 2
Aquatic Toxicity (Acute)	Category 3

### 15. REGULATORY INFORMATION

Safety, health, and environmental regulations/legislation specific for the substance or mixture

HSNO Approval No	HSR002526
Group Standard	Cleaning Products (Corrosive Hazard) Group Standard 2020
Inventory Listing(s)	New Zealand: NZIoC (New Zealand Inventory of Chemicals) All components are listed on the NZIoC inventory or are exempt.

#### **16.OTHER INFORMATION**

 $\label{eq:BNO} \begin{array}{l} \textbf{HSNO Classification: } 6.1D_{(Oral)}, \ 8.2C, 8.3A, 9.1D_{(Acute)}, 9.1B_{(Chronic)}. \\ \textbf{Date of Preparation: } 04/06/2024 \end{array}$ 

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

#### New Zealand National Poison Information Centre: 0800 764 766

#### New Zealand Emergency Services: 111

#### Advance International Cleaning Systems (NZ) Limited: +64 9 525 3792

Every endeavour has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user



suitability of the product for uses is beyond our control. The information is not intended as an inducement to bargain, and no warranty expressed or implied is made as to its accuracy, reliability or completeness.

Advance International Cleaning Systems (NZ) Limited accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product complies with appropriate Local Councils regulations.

End of Safety Data Sheet